

# URINAL INSTALLATION INSTRUCTIONS

*Mr Plumber,*

*All care has been taken during manufacturing to ensure the quality of this product. Please check the following points before proceeding with installation.*

Check urinal for any damage that may have occurred during transportation.

Check that the fittings have been supplied i.e. drop pipes and outlet cover.

## INSTALLATION

If concealed flush pipe is being used, silver solder flush pipe to elbow and check for leaks.

Set up urinal in position and connect waste to comply with water authority regulations. Check levels of tiling flanges at rear, ends and front vertical edges.

When urinal is fixed into place test for adequate drainage to waste outlet by pouring 5-10 litres of water into the trough of urinal stall.

No water should remain other than droplets due to surface tension.

Urinal must be tested for flushing performance.

Before slurry is poured around base and before rendering and tiling is commenced the urinal must be inspected for damage, if no damage is found, proceed with installation.

## STORAGE AND HANDLING

Stainless steel has sharp edges. Ensure hand protection is worn when handling.

This product has a protective coating and we recommend removal after building is complete.

**WARNING: DO NOT STORE THIS PRODUCT IN DIRECT SUNLIGHT AS THE COATING WILL BECOME EXTREMELY DIFFICULT TO REMOVE AND MAY DAMAGE THE PRODUCT.**



DRAWING NO: SC103  
07/07

# URINAL INSTALLATION INSTRUCTIONS

## RECOMMENDED FLUSHING DEVICE MANUAL CISTERN

Code	Size	Cistern Req'd
SUI060	600	1 X 1S
SUI075	750	1 X 1S
SUI090	900	1 X 1S
SUI1010	1000	1 X 1S
SUI1011	1100	1 X 2S
SUI1012	1200	1 X 2S
SUI1013	1300	1 X 2S
SUI1014	1400	1 X 2S
SUI1015	1500	1 X 3S
SUI1016	1600	1 X 3S
SUI1017	1700	1 X 3S
SUI1018	1800	1 X 3S
SUI1019	1900	2 X 2S
SUI1020	2000	2 X 2S
SUI1021	2100	2 X 2S
SUI1022	2200	2 X 2S
SUI1023	2300	2 X 2S
SUI1024	2400	2 X 2S
SUI1025	2500	2 X 2S
SUI1026	2600	2 X 2S
SUI1027	2700	2 X 2S
SUI1028	2800	2 X 2S
SUI1029	2900	2 X 2S
SUI1030	3000	2 X 3S
SUI1031	3100	2 X 3S
SUI1032	3200	2 X 3S
SUI1033	3300	2 X 3S
SUI1034	3400	2 X 3S
SUI1035	3500	2 X 3S
SUI1036	3600	2 X 3S
SUI1037	3700	3 X 2S
SUI1038	3800	3 X 2S
SUI1039	3900	3 X 2S
SUI1040	4000	3 X 2S
SUI1041	4100	3 X 2S
SUI1042	4200	3 X 2S

This urinal has been tested to AS/NZS 3982 with \_\_\_\_\_ manual cisterns. Should an alternative flushing device be installed check with the manufacture that the device is suitable for this size urinal. Southern Cross Stainless Steel Take no responsibility for faulty or non compliant flushing devices.

23-27 Clapham Road  
Regents Park NSW 2143

Ph: 02 9644 2811

Fx: 02 9645 1114

DRAWING NO: SC103  
04/05

Southern Cross Stainless Steel